

Product datasheet

Specifications



APC Easy UPS On-Line SRV Battery Pack (5/6/10kVA) for Extended Runtime Model 240V, 2160VAh, rackmount with kit, 3U

SRV240RBP-9A

Overview

Presentation	Extended-run battery systems provide flexible runtime to scale runtime from minutes to hours, making them ideal for mixed load applications
Lead time	Usually in Stock

Main

Product or component type	Battery
number of rack unit	3U
Battery type	Lead-acid battery
Provided equipment	Documentation CD User manual Battery cable Rack mounting brackets
Range of product	Smart-UPS Battery Systems

Batteries & Runtime

Number of battery blocks per string	20
Device mounting	Rack mount
Number of battery filled slots	0
Number of battery free slots	0
Battery voltage	240 V

Physical

Colour	Black
Height	13.3 cm
Width	43.8 cm
Depth	60.6 cm
Net weight	63 kg
mounting mode	Rack-mounted with kit
USB compatible	No

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 % non-condensing
Operating altitude	0...3000 m

Ambient air temperature for storage	-15...40 °C
Storage Relative Humidity	0...95 % non-condensing
Storage altitude	0...15000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	25 cm
Package 1 Width	87 cm
Package 1 Length	58 cm
Package 1 Weight	70 kg

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)